

School-Based Sexual
and Reproductive
Health Services for
Prevention of
Adolescent
Pregnancy in the
Hoima District,
Uganda: Cluster
Randomised

Controlled Trial

Uganda has persistently had a high adolescent pregnancy prevalence; 25% for the last 10 years. This protocol presents the design of a Cluster Randomized Controlled Trial (CRCT) to investigate the effectiveness of School-Based Sexual and Reproductive Health (SBSRH) interventions on pregnancy prevention among school girls aged 15–19 years in the Hoima District, Uganda. 18 secondary schools (clusters) will be selected using cluster sampling and allocated 1:1 into the control or intervention group stratified by geographical location. 1080 (60 in each cluster) participants/girls aged 15–19 years will be selected using simple random sampling

- [School-Based Sexual and Reproductive Health Services for Prevention of Adolescent Pregnancy in the Hoima District, Uganda: Cluster Randomised Controlled Trial](#)

School-Based Sexual and
Reproductive Health
Services for Prevention of
Adolescent Pregnancy in the
Hoima District, Uganda:
Cluster Randomised
Controlled Trial

Protocol

School-Based Sexual and Reproductive Health Services for Prevention of Adolescent Pregnancy in the Hoima District, Uganda: Cluster Randomized Controlled Trial

Gloria Kirungi Kasozi ^{1,2,*}, Julius Kasozi ³, Frank Pio Kiyingi ¹ and Miph Musoke ¹

¹ School of Post graduate Studies, Nkumba University, Entebbe 237, Uganda; kfrankpio@yahoo.com (F.P.K.); ar@nkumbauniversity.ac.ug (M.M.)

² Department of Public Health, School of Medicine, Uganda Christian University, Mukono 4, Uganda

³ Public Health Office, United Nation High Commissioner for Refugee, Kampala 3813, Uganda; jmkasozi@gmail.com

* Correspondence: gkirungi@gmail.com; Tel.: +25-678-226-4292

Received: 31 December 2018; Accepted: 25 February 2019; Published: 4 March 2019



Abstract: Uganda has persistently had high adolescent pregnancy prevalence; 25% for the last 10 years. This protocol presents the design of a Cluster Randomized Controlled Trial (CRCT) to investigate the effectiveness of School-Based Sexual and Reproductive Health (SBSRH) interventions on prevention of pregnancy among school girls aged 15–19 years in the Hoima District, Uganda. 18 secondary schools (clusters) will be selected using cluster sampling and allocated 1:1 into control or intervention group stratified by geographical location. 1080 (60 each cluster) participants/girls aged 15–19 years will be selected using simple random sampling. The intervention group will receive tailored SRH information, in-school medical care and referral over 12 months. The control group will receive no intervention from the research team; however, they can access alternative services elsewhere if they wish. Data will be obtained at baseline, 6 months and 12 months. The outcomes are reduction in occurrence of pregnancy, utilization of SRH services and sexual behavioral change. To our knowledge, this is the first CRCT providing combined SRH interventions for prevention of adolescent pregnancy in Uganda. If effective, it could have great potential in preventing adolescent pregnancy. Trial Registration: Pan African Clinical Trial Registry (PACTR201810882140200) Registered on 16 October 2018.

Keywords: sexual and reproductive health; adolescent; pregnancy; school-based; intervention; utilization; prevention; information

1. Introduction

Adolescence is a transitional phase of growth and development between childhood and adulthood, mainly referring to individuals between the age of 10 and 19 years [1]. The United Nations Children's Fund (UNICEF) defines an adolescent pregnancy as a young girl aged 13–19 years who becomes pregnant or has had a live birth [2]. Half of the world's population is under 25 years old and the population of young people aged between 10–25 years is estimated to be 1.8 billion with about 85% living in the developing world [2]. 49% of girls in least developed countries (LDCs) marry before they turn 18, while 10%–40% of young unmarried girls have had an unintended pregnancy, giving rise to about 14 million children worldwide who are born every year to young married and unmarried women aged 15 to 19 years [2]. In addition, the United Nation Population Fund estimates that every

Title: School-Based Sexual and Reproductive Health Services for Prevention of Adolescent Pregnancy in the Hoima District, Uganda: Cluster Randomized Controlled Trial

Author (s): Gloria Kirungi Kasozi, Julius Kasozi, Frank Pio Kiyingi and Miph Musoke

Year of Publication: 2019

[Access Resource Here:](#)